

Fruit Tree Pest Control

All Fruit Trees

Scale, Mites

Timing

Dormant Season

Spray after leaf fall in Autumn or before bud swell in early Spring

Pesticide

Gordon's Dormant Oil Spray

Other Insects

After petal fall through Summer

Do not spray during bloom.

Sevin, Gordon's Liquid Fruit Tree Spray

Apple / Pear

Cedar apple rust

Timing

Just before buds open

Repeat every 7-14 days until the end of May.

Pesticide

Myclobutanil

Apple scab

Just before buds open

Repeat every 7-14 days through Spring. It may be necessary to treat through summer if conditions are favorable for disease.

Myclobutanil, Captan

Peach / Plum / Cherry

Peach leaf curl, plum pockets

Timing

Dormant Season

Spray after leaf fall in Autumn or before bud swell in early Spring

Pesticide

Fruit Tree, Vegetable, and Ornamental Fungicide

Scab, brown rot

After petal fall through Summer

Repeat every 7-14 days if conditions are favorable for disease.

Captan, Myclobutanil, Gordon's Liquid Fruit Tree Spray

Remove overwintering plant debris and fruit drops each year to lower the chance for reinfection by pests.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS

GRASS PAD
COM